




Webshield Email Setup in Thunderbird for Mac

- 1) Open Thunderbird and enter your email details then select configure manually



Set Up Your Existing Email Address

To use your current email address fill in your credentials.
Thunderbird will automatically search for a working and recommended server configuration.

Your full name
Support


Email address

Password
.....

☒ Remember password

[Configure manually](#) Cancel Continue

Your credentials will only be stored locally on your computer.



Interconnect Networks


ABN: 35 659 014 767

1300 309 121 

support@webshield.net.au 



2) Enter the IMAP details and click Done



Set Up Your Existing Email Address

To use your current email address fill in your credentials.
Thunderbird will automatically search for a working and recommended server configuration.

Your full name
Support

Email address

Password
.....

☒ Remember password

Manual configuration

INCOMING SERVER

Protocol: IMAP

Hostname:

Port: 993

Connection security: SSL/TLS

Authentication method: Normal password

Username:

OUTGOING SERVER

Hostname:

Port: 465

Connection security: SSL/TLS

Authentication method: Normal password

Username:

[Advanced config](#)

Re-test Cancel **Done**

Thunderbird will attempt to auto-detect fields that are left blank.

Your credentials will only be stored locally on your computer.


Not sure what to select?
[Setup documentation](#) - [Support forum](#) - [Privacy policy](#)

Interconnect Networks

ABN: 35 659 014 767

1300 309 121 


support@webshield.net.au 





***Filling Out The Above Forms & Fields**

- In the email address fields, enter your email e.g. support@webshield.net.au
- In the username fields, enter your username e.g. support@webshield.net.au
- In the hostname fields, enter a valid hostname e.g. mail.webshield.net.au



Interconnect Networks

ABN: 35 659 014 767

1300 309 121 

support@webshield.net.au 